

MANROSE®

Product Update Notification

Manrose Inline Fan Kits

Product Launch Date: Starting July 2020

Product Type: Inline Fan Kits

Primary Brand: Manrose

MANROSE
CLASSIC

HYPER150
BATHROOM FAN

HYPER150 EC
Technically advanced
EC motor technology

High performance
whisper quiet fan

Higher pressure
impeller

Energy saving

UPGRADED INSIDE
ECO 33%
less energy
POWER SAVING EC MOTOR

DESIGNED FOR
G4
BUILDING CODE
&
HEALTHY HOMES
STANDARD
BATHROOMS

Order Code
FAN0085

7
YEAR
WARRANTY
FAN AND LABOUR

Believe the Hype

The recent upgrade of the Manrose Hyper150 to EC is now being extended into all inline fan kits that currently utilise the Hyper150 to provide better performance along with the all important Eco friendly energy savings of 33% - all with no additional cost.

Manrose Hyper150 Features:

- High pressure impeller
- High duty-point performance
- Energy saving at just 18W
- Long life with lower operating temperature brushless technology
- Designed for G4 Building Code for Bathrooms
- Designed for Healthy Homes Standard – Kitchens and Bathrooms
- Environmentally friendly with 33% less energy used at just 18W

Manrose Codes and Descriptions:

- FAN0101 Inline Extraction Fan Kits without Lights - Standard Profile
- FAN0102 Inline Extraction Fan Kits without Lights with Timer- Standard Profile
- FAN7044 Inline Extraction Fan Kits suits Contour Fascia System
- FAN0618 Inline Extraction Fan Kits without Lights - Low Profile
- FAN0619 Inline Extraction Fan Kits without Lights with Timer- Low Profile
- FAN0803 Inline Extraction Fan Kits with Halogen Lamps - Standard Profile
- FAN0804 Inline Extraction Fan Kits with Halogen Lamps with Timer - Standard Profile
- FAN2033 Inline Extraction Fan Kits with Halogen Lamps - Low Profile
- FAN2035 Inline Extraction Fan Kits with Halogen Lamps with Timer - Low Profile
- FAN5369 Inline Extraction Fan Kits with LEDs - Standard Profile
- FAN5370 Inline Extraction Fan Kits with LEDs with Timer- Standard Profile
- FAN5375 Inline Extraction Fan Kits with LEDs - Low Profile Round White
- FAN5376 Inline Extraction Fan Kits with LEDs - Low Profile Round Silver
- FAN5377 Inline Extraction Fan Kits with LEDs with Timer- Low Profile Round White
- FAN5899 Inline Extraction Fan Kits with LEDs - Low Profile Square White
- FAN5900 Inline Extraction Fan Kits with LEDs with Timer - Low Profile Square White

Timing:

This will be a rolling change as we run out of existing kits.

Manrose Hyper150 Specifications:

Supply	110-240V AC, 50HZ
Wattage	18W
Fan Performance	105l/s, 380m ³ /hr (free air performance)
Maximum Pressure	91Pa
Housing	Die Cast Aluminium
Impeller and Outer Rotor	PBT Plastic
Maximum Operating Temperature	45°C
IP Rating	IP44

Image:

