





## Profiles

#### 135MM WIDE

Capture the look of the iconic Kiwi villa with a narrow board that provides the fine detail required for this classic look.



#### **150MM WIDE**

Ideal for smaller homes, this width ensures you get the accentuated design shadows you're after with the space.



#### **180MM WIDE**

Larger walls suit the larger board size, giving you stylish, deep shadow lines and impressive external feature walls.



LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)
4200	135	16
4200	150	16
4200	180	16

Linea Weatherboard is a bevel backed weatherboard with tongue and groove edges at the ends for jointing and is available in three different profiles.



## Features

#### & BENEFITS



#### WEATHER RESISTANT

Engineered to stand up to New Zealand's harsh conditions



#### **EASY TO PAINT**

Can be painted any colour, even the darker shades



#### COMPLIANCE

BRANZ appraised and CodeMark certified



#### RESISTANT TO DAMAGE FROM MOISTURE

Resistant to damage from moisture and rotting



#### LIGHT WEIGHT

Classified as a lightweight cladding under NZ Building Code



#### **25 YEAR WARRANTY**

Backed with a 25 year product warranty



#### **FIRE RESISTANT**

Fire protection with up to 90 minute fire resistance when used as part of a fire rated system



#### **EASY TO CLEAN**

Fast and effective using low pressure water and a brush



#### COST EFFECTIVE

Cost effective and long-lasting



#### **OPTIONS**



#### **CORNER SOAKER**

Use a corner soaker to achieve a modern, angular, sleek corner to your design.
Aluminium corner soakers come ready to paint or you can add further definition to your design with stainless steel and copper corner soakers. These can be left unpainted creating contrast against your cladding to create a truly unique look.

### SLIMLINE BOX CORNER

The slimline box corner is achieved using an aluminium box corner profile. The slimmer profile gives you the traditional box corner design with a modern twist. They come ready to paint and can be painted any colour you choose.





#### **AXENT TRIM**

Axent™ Trim made from premium fibre cement, is an easy way to create the classic feature corners often seen on traditional New Zealand homes.

The 16mm thickness of Axent Trim helps create the impression of solidness, and it's crisp, clean edges highlight frames and openings. With performance benefits that match your cladding, Axent Trim is resistant to fire, damage from moisture and rotting, and can be painted any colour you choose.



### Corre

#### & MAINTENANCE

With minimal maintenance you can keep your home looking like new. The following are the best practices for this product to improve its longevity and performance.

- Washing down your exterior every 6-12 months using low pressure water and a brush, and every 3-4 months in extreme coastal conditions (such as high winds and sea spray)
- Clean out your gutters, downpipes and overflow pipes as required

- Cut back vegetation and landscaping which is too close to or touching the Linea Weatherboard
- Re-applying exterior protective finishes. Always refer to the paint manufacturer for re-coating requirements
- Maintaining the exterior envelope and connections including joints, penetrations, flashings and sealants
- The clearances between the bottom edge of the Linea
   Weatherboard and the ground must always be maintained
- Stainless steel soakers used in extreme coastal conditions or in a sea spray zone may show some signs of 'tea staining'. It is an aesthetic issue and to minimise staining the soaker must be washed/polished frequently



# linem

WEATHERBOARD



jameshardie.co.nz





For more information, warnings and warranties please see our website and review the relevant installation and technical guides. Copyright ©2019 James Hardie New Zealand Limited 0800 808 868.

™ and ® denotes a trademark and registered mark owned by James Hardie Technology Ltd.