


# ROOFING WITH STYLE


ROOFING | CLADDING | RAINWATER SYSTEMS



Practical residential roofing & cladding solutions – innovative products  
[www.roof.co.nz](http://www.roof.co.nz)



## TRUE OAK<sup>®</sup> corrugate




**In an industry starved of innovation, Roofing Industries is bringing to the market a distinct change to New Zealand roofscapes by manufacturing and supplying a bolder and character filled corrugated roofing and cladding product which is aesthetically appealing and far stronger than traditional corrugate.**

Designed to stimulate the imagination of building designers and customers, the revolutionary new True Oak<sup>®</sup> Corrugate is strikingly different to current shallow corrugated profiles. It's a return to a rounder, fuller, deeper and more shapely corrugated roofing, based on the original 19th Century Walker's Gospel Oak profiles and is suitable for both residential and commercial roofing and cladding.

Features such as a lower 4 degree minimum roof pitch capability, greater water carrying capacity, less visible "lap lines" and a reduced risk of foot traffic damage ensures that, when True Oak Corrugate is manufactured in a wide selection of unpainted substrates, Colorcote<sup>®</sup> and Colorsteel<sup>®</sup> materials, the end result will be truly impressive.

### TRUE OAK CORRUGATE



#### ▀ SPECIFICATIONS

Sheet width: 820 mm


Sheet coverage: 760 mm

Sheet length: Any length  
(Subject to transportation)

Minimum pitch: 4°  
(Subject to design criteria)




## CORRUGATE



**Corrugate remains an ageless icon, and as a cost competitive and trend setting roofing and cladding material, continues to gain in popularity.**

Corrugate offers a stylish alternative to today's building designers and home owners alike, allowing creative flair and individuality during the design process. Product capability along with a little imagination will ensure a distinct point of difference to other homes in the vicinity. Choose from unpainted Zinalume®, Galvanised, ZAM™, Aluminium, Copper, Stainless Steel, perforated, or an extensive range of Colorcote® and Colorsteel® pre-painted modern roof finishes meeting individual requirements.

### CORRUGATE



All measurements are in millimetres.

#### SPECIFICATIONS


Sheet width: 845 mm	Sheet coverage: 762 mm
Sheet length: Any length (Subject to transportation)	Minimum pitch: 8° (Subject to design criteria)

## SLIMLINE® Mini Corrugate



**A miniature version of traditional corrugated roofing and cladding, Slimline® Mini Corrugate offers designers, builders, signwriters and home owners alike, a unique and decorative alternative with the range of end uses only limited by the imagination.**

Although not suitable for use as a trafficable roofing product, when coupled with a range of substrate materials, surface finishes and perforated options, Slimline® Mini Corrugate exhibits flexibility, and practicality as a modern architectural product.




All measurements are in mm and are nominal.





## EUROSTYLE™

epic™ spanlok™ eurolok™



With the architectural world continuously searching for the very latest in new products, design inspiration, and sound engineering practice, Roofing Industries is pleased to bring to the New Zealand market a revolutionary series of European inspired Roofing, Wall Panelling and Soffit Panels all manufactured using the very latest advances in German technology.


Predicted to be at the forefront of the building, design and construction industry, Eurostyle™ is an elite roofing and walling system and will most certainly stretch the boundaries by offering building designers, elegance, style, design flexibility, sustainability and extensive material choice.



To complement your project, Eurostyle is manufactured in a wide selection of materials and surface finishes including, Zinalume, ZAM, Aluminium, Stainless Steel, Natural Zinc, Copper, Colorcote® and Colorsteel®.



Variable pan width between 195mm to 515mm - profile type dependant



Wall & Soffit Panel

### ▸ SPECIFICATIONS

Rib height : 24 mm to 50 mm profile dependant

Sheet length: Any length  
(Subject to transportation)

Minimum pitch: 4°  
(Subject to design criteria)






## MULTIDEK®



Multidek® hidden fixing clip.

**An extremely popular residential roofing and cladding product exhibiting clean European lines, architectural flexibility and impressive strength. When coupled with the product's unique hidden clip fastening system (no penetration of the metal substrate), why would you not consider Multidek® as a logical and attractive alternative.**

Multidek's high rib design provides excellent water carrying capacity and is particularly suitable for high rainfall areas. Choose from unpainted Zinalume®, Galvanised, ZAM™, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® pre-painted modern roof finishes in order to meet individual requirements.



### SPECIFICATIONS

Sheet width: 520 mm	Sheet coverage: 500 mm	
Sheet length: Any length (Subject to transportation)	Minimum pitch: 3° (Subject to design criteria)	
<b>SPAN TABLES (Steel Substrate Material)</b>		
Type of Span	Maximum Span (Metres)	Maximum Span (Metres)
	.48 mm BMT	.55 mm BMT
Intermediate	1.600	2.500
End	1.100	1.600
Note: Maximum design load 2.0kPa		

Variations to spans is available from the Technical Profile Summary - [www.roof.co.nz](http://www.roof.co.nz)





## TRIMRIB®




Utilising the very latest in rollforming technology, Trimrib® can be manufactured as either Trimrib® (S) single swage Trimrib® (TS) twin swage, or Trimrib® (V) two "V" swages.


Each profile is aesthetically pleasing, having been designed with modern building style in mind and creating contrasts of light and shade in straight lines. Trimrib® enables rapid water shedding from the roof with a low minimum pitch requirement of 3 degrees and when coupled with or without one of the pre-painted surface finishes, Trimrib® ensures the completed project provides purpose and visual appeal. Choose from unpainted Zinalume®, Galvanised, ZAM™, Aluminium, Copper, Stainless Steel or an extensive range of Colorcote® and Colorsteel® modern roof colours.




### TRIMRIB® (TS)



### TRIMRIB® (V)



### TRIMRIB® (S)



All measurements are in millimetres.


Trimrib® (S) and Trimrib® (TS) Manufactured in Auckland, Taupo, Palmerston North and Christchurch.  
Trimrib® (V) Manufactured in Taupo – additional freight may be applicable outside of these areas.

SPECIFICATIONS	
Sheet width: 820 mm	Sheet coverage: 760 mm
Sheet length: Any length (Subject to transportation)	Minimum pitch: 3° (Subject to design criteria)

# EZI-FLO™ Rainwater Systems

Simply select a rainwater product, along with one of the wide range of substrates and coloured surface finishes, in order to complete and enhance your project.

## Spouting, Gutters, Downpipes & Fascia



### R.I. 125 mm Box Gutter

The R.I. 125 Box Gutter is designed to perform where heavy rainfall intensity may occur. A higher face prevents unsightly views of the end of the roofing sheet, particularly on higher ribbed profiles.

### Quarter Round

Quarter Round Spouting maintains its traditional appeal, and provides simplicity and classic lines for use in most residential applications. Supplied with internal or external brackets.

### 1/2 Round

An aesthetically pleasing spouting product. 1/2 Round in both traditional and flat back will certainly enhance the overall appeal of your home. Supplied with external or internal brackets - depending on profile.

### Old Gothic

Old Gothic, which is available in two sizes, is reminiscent of the spouting types used on colonial homes. Old Gothic is supplied with internal or external brackets.

### J Line


An extremely popular spouting system which utilises an extended sloping face to hide the end of the roofing and is particularly beneficial for use on low roof-pitch residential applications. Supplied with internal brackets.

### Multifit™ Fascia

Multifit™ Fascia can be used in conjunction with a wide number of roof types by incorporating a simple attachment system, allowing removal and re-installation without disturbing the main roof material.

## Downpipes

Manufactured in 3200 mm lengths standard, or supplied in varying lengths to meet requirements.



## Ezi-Lok™ Gutter Screen Valley Screen

Coloured aluminium spouting and roof valley protection systems purposely designed for ease of installation and simple removal for cleaning. Ezi-Lok products will complement your roof and hide unsightly valleys whilst keeping leaves and birds out.

Gutter screen

Valley screens




## ROOF AND WALL NATURAL LIGHTING

Why not utilise the knowledgeable staff at Roofing Industries to assist you in choosing the appropriate translucent and transparent products for your project.

Choose from:

- Polycarbonate
- Glass Reinforced Polyester
- Multiwall



<b>Auckland</b>	<b>(Head Office)</b> 5 John Glenn Avenue, North Harbour 0632.	<b>Ph:(09) 414 4585</b>	<b>E:auckland@roof.co.nz</b>
<b>Whangarei</b>	4A Fraser Street, Whangarei 0112.	<b>Ph:(09) 437 2040</b>	<b>E:northland@roof.co.nz</b>
<b>Pukekohe</b>	212 Manukau Road, Pukekohe, South Auckland 2120.	<b>Ph:(09) 238 0050</b>	<b>E:franklin@roof.co.nz</b>
<b>Hamilton</b>	78 Sunshine Avenue, Te Rapa, Hamilton 3241.	<b>Ph:(07) 849 5115</b>	<b>E:waikato@roof.co.nz</b>
<b>Tauranga</b>	49 Aerodrome Road, Mt. Maunganui 3116.	<b>Ph:(07) 929 7034</b>	<b>E:tauranga@roof.co.nz</b>
<b>Taupo</b>	1158 Rakaunui Road, Taupo 3351.	<b>Ph:(07) 376 7971</b>	<b>E:taupo@roof.co.nz</b>
<b>Napier</b>	39A Turner Place, Onekawa, Napier 4110.	<b>Ph:(06) 281 2586</b>	<b>E:napier@roof.co.nz</b>
<b>New Plymouth</b>	14 Constance Street, Waiwhakaiho, New Plymouth.	<b>Ph:(06) 758 3003</b>	<b>E:taranaki@roof.co.nz</b>
<b>Palmerston North</b>	653 Tremaine Avenue, Palmerston North 4410.	<b>Ph:(06) 353 8480</b>	<b>E:centeral@roof.co.nz</b>
<b>Wellington</b>	2 Cashew Street, Grenada North, Wellington 5028.	<b>Ph:(04) 238 4390</b>	<b>E:wellington@roof.co.nz</b>
<b>Blenheim</b>	Unit 3, 24 Herbert Street, Blenheim 7201.	<b>Ph:(03) 934 5901</b>	<b>E:blenheim@roof.co.nz</b>
<b>Christchurch</b>	12 William Lewis Drive, Sockburn, Christchurch 8042.	<b>Ph:(03) 339 2324</b>	<b>E:christchurch@roof.co.nz</b>
<b>Cromwell</b>	18 Wolter Crescent, Cromwell 9342.	<b>Ph:(03) 928 6869</b>	<b>E:cromwell@roof.co.nz</b>



Need a roof – visit [www.roof.co.nz](http://www.roof.co.nz)

**IMPORTANT: Surface undulation “Oil Canning”**

Oil canning is defined as a perceived waviness across the flat area of (in particular, but not limited to) wider metal panels. It is a naturally-occurring phenomenon and can be more discernible under shallow cross lighting, variation in light source, temperature and thermal changes. Oil canning is an aesthetic issue and not a structural problem or defect. The property owner, builder, specifier should be aware that these undulations do not affect performance.

Your distributor

