

SOLITEX ADHERO 1000 / 3000 SOLITEX EXTASANA ADHERO Moll bauoekologische Produkte GmbH

Final Assembly: Schwetzingen, Baden-Württemberg, Germany

Life Expectancy: 50 Year(s)

End of Life Options: Landfill (100%)

Ingredients:

Polypropelene; 2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate and methyl 2-methyl-2-propenoate; 1,4-Benzenedicarboxylic acid, dimethyl ester, polymer with 1,4-butanediol, methyloxirane and oxirane; 2-Propenoic acid, butyl ester, polymer with ethenyl acetate and 2-ethylhexyl 2-propenoate; Colophony, converted with maleic-/ fumaric acid, esters or mixed esters with methanol, isotridecanol, ethylene glycol, diethylene glycol, triethylene glycol, glycerol or pentaerythritol, including Li, Na, K, Mg, Ca salts and mixed salts of these, ammonium and aliphatic ammonium salts; 1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products with 2,4,4-trimethyl-2-pentanamine; N-alkoxy hindered amine reaction products; Carbon black

Living Building Challenge Criteria: Compliant

I-13 Red List:

■ LBC Red List Free

□ LBC Red List Approved

□ Declared

% Disclosed: 100% at 100ppm VOC Content: Not Applicable

I-10 Interior Performance: AgBB Scheme French A+ 2011

I-14 Responsible Sourcing: Not Applicable

PRC-0007 EXP. 01 MAR 2022 Original Issue Date: 2021

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare